Outdoor Blinds

Product Brochure 25/26

DIAMOND BLINDS

Shades ◦ Shutters ◦ Security

We only use the very best in Aussie made manufacturers for our Outdoor Blinds.

For the operation side of things we solely use **Slide Track's Zip Series**. After years of trialing all the types of operated blinds available, we've found that the Zip Series has proven to be the most functionally reliable Outdoor Blind on the market. This means less need for servicing, giving you peace of mind that your blind will work effortlessly for years to come.

For our fabrics we only use the state of the art materials like **Ozweave** and **Vistaweave** by **Nolan Group**. These fabrics offer a wide range of protection, from full block out to more open mesh - enabling you to choose a grade of shading that suits your particular needs. They're also available in a wide range of **Colorbond** inspired colours to either match or compliment the existing design of your space. These colours are also be applied to the aluminium components of the blinds, such as for the hood, tracks and bottom bar - ensuring the style remains consistent across every part of the product.



Choose from our most popular range of Colorbond inspired colours for the fabric of your Blind.

COLORBOND® Classic Cream™

COLORBOND® Monument®



COLORBOND® Paperbark®

COLORBOND® Surfmist®

COLORBOND® Basalt®

COLORBOND® Woodland Grey®

COLORBOND® Deep Ocean® NEW!



COLORBOND® Dune®



COLORBOND® Cottage Green® NEW!



Charcoal



COLORBOND® Jasper®

COLORBOND® Ironstone®

COLORBOND® Dover White™



COLORBOND® Manor Red® NEW!

Ebony

Choose what grade protection you want for the fabric of your Blind.

Vistaweave 95 Mesh

The perfect balance between outdoor protection and visual connection, offering excellent defence against the elements without sacrificing your view. It's the ideal choice for stylish, functional external blinds.

Vistaweave 98 Mesh

An ideal blend of privacy and weather protection, featuring a flatter profile than Viastaweave 99, while still preserving your connection to the outside world, perfect for spaces that crave both comfort and openness.

Vistaweave 99 Mesh

Offers maximum privacy and superior protection from the elements, all while maintaining a clear outward view — the ultimate solution for discreet, durable external blinds.

Vistaweave MAX Mesh

Delivers complete privacy and total view block, offering full protection from sun, wind, and weather — perfect for spaces where seclusion and comfort are key.

Vistaweave Acrylic

Engineered for durability and longevity, this solution-dyed clear PVC fabric offers exceptional resistance to fading, tearing and mildew, making it an ideal, low-maintenance choice for outdoor blinds.



Choose the colour of the hood, tracks & bottom bar of your Blind.

Stock range - our most popular colours for the quickest turnaround in manufacturing

Extended full range - for unique and expanded colours for bespoke design choices





Choose the type of operation you want for your Blind.

Manual & Spring Assist - A reliable and easy to use manual option with smooth, lightweight operation. Designed for everyday use without compromising durability.

Motorised - Effortlessly control your blinds with the push of a button, offering seamless operation, convenience and with no need to worry about batteries. Perfect for modern homes and smart living.

Eport - A rechargeable, battery-powered solution for motorised blinds, providing flexibility and energy efficiency without the need for hardwiring.

Choose the control type for the operation of your Blind.

Spring Assist

The Spring Assist option is a popular choice for people across Australia, offering a reliable and easy to use manual operation. **SlideTrack's** unique extruded aluminium **Ezylift** handle elevates this experience with superior strength and an ergonomic design, ensuring a smooth and effortless use. Additionally, the system features hidden manual capabilities, providing a clean, seamless finish that blends effortlessly into your outdoor aesthetic while maintaining optimal functionality.

Manual Crank

The gearbox operation is a traditional and reliable system for Outdoor Blinds. It allows users to manually raise and lower the blind using a crank handle that hooks into a secure eye outlet. This straightforward and dependable mechanism ensures smooth and controlled operation, making it a practical choice for those who prefer manual control without compromising on durability or ease of use. For our manually operared blinds its the most non-labour intestive option we have to offer.

Straight Drop



Our Straight Drop blinds are designed to be as aesthetically-stunning as they are functional - with no need for side tracks, just simply drop down and clip into stainless steel fittings. This minimal design also makes it the most cost effective option we offer.

Eport Battery

The **Eport** control is a versatile and removable battery unit designed to power tubular motors with ease. Simple to charge and operate, it offers seamless functionality, allowing you to use the same Eport or remote across multiple blinds. This cost-effective solution ensures convenience and flexibility, making it perfect for enhancing your Outdoor Blind experience.



Choose the control type for the operation of your Blind.

Solar Pro

The **Solar Pro** module is an all-in one solution featuring a solar panel, battery, and smart technology in a compact unit. It harnesses energy from the sun to power your blind, offering an eco- friendly and efficient operation. With the convenience of remote control,
Solar Pro provides a sustainable and effortless way to enhance your outdoor space.

Alpha Motorised Remote

Part of **Alpha's** practical and reliable **Explorer** range, this 1 channel and 16 channel remote offers the flexibility to manage a complex setup from the palm of your hand. Whether you are controlling a few select motors or a full home or office installation, the ability to command multiple applications separately provides true automation. Its rolling code technology delivers robust security, making it a smart and safe choice for any installation

Choose the control type for the operation of your Blind.

Wind Light Sensor - RS-001

This system offers **5 wind speeds** and **9 light intensity** settings. It functions as a sophisticated sun and wind sensor, prioritising wind detection to override sun-based automation for maximum protection. The sun sensor is optional and can be easily disabled. Designed exclusively for use with **Alpha WSER Series** motors.







Choose further upgrades for smart controlling your Blind.



Complete your smart home transformation with the Alpha **Neo Link Box** & App, allowing you to control your motorised Outdoor Blinds remotely using your device. Operate them Individually, by area, or the entire house from anywhere with an internet connection. You can also schedule all functionalities to operate automatically for added convenience. Just purchase the **Link Box** and download the free app for Android or Apple.

This product is compatible with all **Alpha** remote-control motors, and there's no limit to the number of control devices you can connect. With up to 30 control groups (rooms) available, you can add up to 8 blinds per group and set up to 40 schedules for full automation. Set up is easy and you can even enable it with **Siri**.

Technical Specifications of our Outdoor Blinds.

Boxing, Channels & Tracks

The tracking system by **Slidetrack** is a patented extrusion, engineered to restrain Outdoor Blind skins with welded splines. The unique channel shape was designed specifically to encompass and guide the spline within a secure channel. These tracks offer not only strength and durability, they also provide an attractive finish by concealing the spline within the tracks and hiding the weld from view when installed. They can also be used with a range of guide and boxing options to suit a huge variety of shading applications.



145mm Extruded Aluminium Head Box

This unique head box is a two-piece pelmet produced with extruded aluminium and finished with specialised end caps. The fully enclosed head box offers a smooth shape for an attractive finish, with industry leading strength due to design and thickness of material. Tested on blinds as wide as **6600mm**, this is the ideal option for wide spans and for powder coating of special colours.



125mm Extruded Aluminium Head Box

A more slimline version, this box is a two-piece pelmet produced with extruded aluminium and finished with specialised end caps. The fully enclosed head box offers a smooth shape for an attractive finish, with industry leading strength due to design and thickness of material. Tested on blinds as wide as **6600mm**, this is the ideal option for wide spans and for powder coating of special colours.



Brackets

Brackets are available to support the top tube in situations where boxing is not suitable or pricing is prohibitive. The top tube drive and idle ends can be dropped into the brackets, which must be fitted to allow enough room for the fabric to build up around the roll. It is important to consider when selling brackets without boxing that, when the skin is rolled down, there is an open gap left above the top tube.



Standard Channel



The most commonly used channel, at **23mm** deep, you simply fix the channel to the application surface & sit tracks in place. Each channel has **+/- 5mm** built-in adjustment. When happy with the blind's operation, fix track to channel. If surface is square and measured correctly, there should be 5mm of channel visible when looking at the front of the blind.

Deep Channel



Deep channels are 10mm deeper than standard. Installation method is exactly the same – this channel is simply an option to use for neatly overcoming protruding bricks or copper piping.

Extra Deep (Gearbox) Channel



21mm deeper than standard. Developed to accommodate the extra width of a gearbox. **Exessive Out Of Square** can be accomodated by using a STD channel half height, with a **DEEP** or **EXTRA DEEP** for the rest of the height.

Angled Channel



For fixing to angled surfaces. Measure using the fabric as your line to the wall (dotted centre line in diagram). Drill a pilot, then a **13mm** diameter hole in the flat tube for your driver to fit through. Mount to wall. Place the curved channel over the top, (covering the **13mm** holes.) Adjust to required angle and fix to flat tube with rivets or size **10-16x16mm** tek screws.

Small Column Channel (or curved channel)



For fixing to columns smaller than **200mm**. For larger diameter columns a standard channel can be used. Simply fix to column, taking care not to over-tighten, as this may bend the channel edges out of shape.

Face Fit Channel



Avoid using **25 x 40 angles** when face fixing. The back leg is **40mm** wide. When fitting blinds side-by-side two face fit channels can be used back-to-back if the post is **80mm** wide or more. Alternatively, use one face fit channel and mount a standard channel to its back.

Wind Rating

We are occasionally asked what the wind rating is on our blinds. This is a complex question that cannot be answered simply, because;

- The wind load on a blind is directly proportional to its area, so its ability to withstand winds depends on its size.

- The wind load on a conventional blind is transferred to the top tube and base bar, with a Slidetrack blind the wind load is transferred to its entire perimeter so can withstand up to twice the loading.

- The location of a blind within a given wind speed area is also very important, e.g. whether it is in an exposed or sheltered area, or on a window or a verandah.

However, we have thousands of blinds successfully installed in **N1 (W28)** and **N2 (W33)** wind rating areas throughout Australia, which is the best product testament possible. (These categories refer to potential gust wind speeds up to **28** and **33 m/sec** respectively.)

We do recommend that blinds are retracted during storms, particularly larger blinds over **7.5 sq m**.

Motorised blinds, particularly when wider than about **2m** may require manual assistance when being lowered in windy conditions.

We have exceptional warranty coverage for our Blinds.

- 10 Years Manufacturer's Warranty on Fabric for Outdoor Blinds ✓
- 12 Years Manufacturer's Warranty on Powder Coating ✓
- 12 months Warranty on Workmanship and all other Fittings and Fixtures ✓
- 5 Years Diamond Blinds & Shutters Warranty on Fabric Defects & Replacement's ✓
- 3 years Warranty for Movement Components ✓

*This warranty does not cover damage caused by : Storms, high winds, hail, or other extreme weather conditions - Accidental damage or misuse - Failure to follow care and maintenance instructions - Warranty claims must be accompanied by proof of purchase and may require a site inspection.
This warranty is limited to repair or replacement of the defective part(s) at our discretion.

See what some of our customers have had to say

Diamond Blinds and Shutters

Unit 2/4 Lathe St, Virginia QLD 4014, Australia

5.0 ★★★★★ 54 reviews ⓘ

Micko
Local Guide · 16 reviews · 3 photos

★★★★★ a week ago NEW

I had 2 other companies tell me they couldn't put a blind on the outside of our deck with a flyover roof and a 3 rd company say they can but were double the price of Diamond.
Danny came and said yes we can definitely put the blind on the outside and Sean installed it very neatly I would highly recommend these guys. Honest price and great communication 10/10

Hover to react

Kevin Mehta
Local Guide · 20 reviews · 6 photos

★★★★★ a week ago NEW

The Diamond Blinds team did a fantastic job installing our alfresco outdoor blinds. 😍
I can't recommend them highly enough , both the sales and installation teams were efficient, professional, and completed the job neatly and on time. 🤗 🥰
We're absolutely in love with our alfresco area now. thank you again, Diamond Blinds team!

Hover to react

Aaron Spencer
7 reviews

★★★★★ a month ago

The whole process was thorough, quick and of high quality. Danny was exceptional with providing the options best suited to our deck. Sean was great in offering a great price and organising the install really quickly and the team that installed on the day did a wonderful job to meet our needs and expectations.

Hover to react

DIAMOND BLINDS

Shades . Shutters . Security

Contact us

07 3522 5705

info@diamondblinds.com.au

Workshop

2/4 Lathe St, Virginia,
QLD 4014

Showroom

Build & Design Centre
(Through our supplier Ozroll)

66 Merivale St, South Brisbane
QLD 4101

Diamond Blinds & Shutters Pty Ltd

ACN : **671 123 372**
QBCC : **15410183**

qbcc | QUEENSLAND BUILDING AND CONSTRUCTION COMMISSION

wsaa
Formerly Blind Manufacturers' Association of Australia

AUSTRALIAN MADE AND OWNED