DIAMOND BLINDS

Shades ◇ Shutters ◇ Security



diamondblinds.com.au

◇ **Product Brochure** 25/26

DIAMOND
BLINDS
Shades ◦ Shutters ◦ Security

Contact us

07 3522 5705
info@diamondblinds.com.au

Workshop

2/4 Lathe St, Virginia,
QLD 4014

Showroom

Build & Design Centre
(Through our supplier Ozroll)

66 Merivale St, South Brisbane
QLD 4101

Diamond Blinds & Shutters Pty Ltd

ACN : **671 123 372**
QBCC : **15410183**

qbcc | QUEENSLAND BUILDING AND CONSTRUCTION COMMISSION

wsaa
Formerly Blind Manufacturers' Association of Australia

AUSTRALIAN MADE AND OWNED



Contents

Introduction 01

Outdoor Blinds

- Intro 03
- Fabric Colours 04
- Fabric Types 05
- Track, Hood & Bottom Bar Colours 06
- Operation Types 07
- Control Types 09
- Upgrades 11
- Technical Specifications 13
- Warranty 16

Roller Shutters

- Intro 17
- Operation & Control Types 19
- Upgrades 21
- Track, Hood & Slat Colours 22
- Roller Shield Curved Series 23
- Sentry Fireshield 24
- Warranty 26


Aluminium Louvres

- Intro 27
- DLi Domestic Louvre 30
- CL Cyclone Louvre 31
- Operation Type - Fixed 33
- Operation Type - Bi Fold 34
- Operation Type - Hinged 35
- Operation Type - Sliding Stacker 36
- Louvre Colours 37
- Technical Specifications 41
- Warranty 43

Plantation Shutters

- Intro 45
- Operation Types 47
- Key Features & Benefits 50
- Diagram & Terms 51
- Colour & Frame Types 52
- Warranty 54
- Testimonials 55

DIAMOND
BLINDS






We set the standard for contemporary home shading in Brisbane & SEQ.

Diamond Blinds warmly welcomes you - as industry specialists, we excel in delivering state-of-the-art interior and exterior shading solutions for both residential and commercial properties. We have a legacy of decades in product installation and all our products are crafted locally here in Queensland. We pride ourselves on utilising top-tier materials renowned for their enduring quality and only partner with industry leading manufactureres. Our meticulously designed range combines unmatched functionality with premium aesthetics - guaranteed to create a transformative presence in any space.

We work in collaboration with our clients to elevate living spaces - both practically and aesthetically.

For us, its all about attention to detail - we're experts in knowing what works and have a keen eye for design. We also understand that choosing what home shading solution to go with can be a daunting task and as such we pride ourselves on exceptional communication from start to finish. We're fair on price too, meaning you get a premium product and service for a truly competitive price. That's the Diamond Blinds promise.





Our state-of-the-art Australian made products offer the perfect blend of form and function. They are high grade, durable and are made from top quality Australian-sourced components and materials.

Choose from the specialised range of products

Outdoor Blinds - Create a stylish and functional outdoor living space with our durable and weather-resistant Outdoor Blinds.

Roller Shutters - Enjoy superior insulation, security, light and noise control with our sleek and modern with our complete Australian made Roller Shutters.

Aluminium Louvres - Optimise natural light, ventilation and style with our versatile and durable Australian made Aluminium Louvres.

Plantation Shutters - Add a touch of timeless elegance to your interior window space with our classic bright white Plantation Shutters.

Please take a look through this brochure and get in touch if you have any questions - one of our friendly team members will be more than happy to help.

All the best,


Diamond Blinds & Shutters



We only use the very best in Aussie made manufacturers for our Outdoor Blinds.

For the operation side of things we solely use **Slide Track's Zip Series**. After years of trialing all the types of operated blinds available, we've found that the Zip Series has proven to be the most functionally reliable Outdoor Blind on the market. This means less need for servicing, giving you peace of mind that your blind will work effortlessly for years to come.

For our fabrics we only use the state of the art materials like **Ozweave** and **Vistaweave** by **Nolan Group**. These fabrics offer a wide range of protection, from full block out to more open mesh - enabling you to choose a grade of shading that suits your particular needs. They're also available in a wide range of **Colorbond** inspired colours to either match or compliment the existing design of your space. These colours are also be applied to the aluminium components of the blinds, such as for the hood, tracks and bottom bar - ensuring the style remains consistent across every part of the product.



Choose from our most popular range of Colorbond inspired colours for the fabric of your Blind.

COLORBOND® Classic Cream™	COLORBOND® Monument®	COLORBOND® Paperbark®	COLORBOND® Surfmist®	COLORBOND® Basalt®
COLORBOND® Woodland Grey®	COLORBOND® Deep Ocean® NEW!	COLORBOND® Dune®	COLORBOND® Cottage Green® NEW!	Charcoal
COLORBOND® Jasper®	COLORBOND® Ironstone®	COLORBOND® Dover White™	COLORBOND® Manor Red® NEW!	Ebony



Choose what grade protection you want for the fabric of your Blind.

Vistaweave 95 Mesh

The perfect balance between outdoor protection and visual connection, offering excellent defence against the elements without sacrificing your view. It's the ideal choice for stylish, functional external blinds.

Vistaweave 98 Mesh

An ideal blend of privacy and weather protection, featuring a flatter profile than Viastaweave 99, while still preserving your connection to the outside world, perfect for spaces that crave both comfort and openness.

Vistaweave 99 Mesh


Offers maximum privacy and superior protection from the elements, all while maintaining a clear outward view — the ultimate solution for discreet, durable external blinds.

Vistaweave MAX Mesh

Delivers complete privacy and total view block, offering full protection from sun, wind, and weather — perfect for spaces where seclusion and comfort are key.

Vistaweave Acrylic

Engineered for durability and longevity, this solution-dyed clear PVC fabric offers exceptional resistance to fading, tearing and mildew, making it an ideal, low-maintenance choice for outdoor blinds.




Choose the colour of the hood, tracks & bottom bar of your Blind.

Stock range - our most popular colours for the quickest turnaround in manufacturing



Extended full range - for unique and expanded colours for bespoke design choices







Choose the type of operation you want for your Blind.

Manual & Spring Assist - A reliable and easy to use manual option with smooth, lightweight operation. Designed for everyday use without compromising durability.

Motorised - Effortlessly control your blinds with the push of a button, offering seamless operation, convenience and with no need to worry about batteries. Perfect for modern homes and smart living.

Eport - A rechargeable, battery-powered solution for motorised blinds, providing flexibility and energy efficiency without the need for hardwiring.

Choose the control type for the operation of your Blind.

Spring Assist

The Spring Assist option is a popular choice for people across Australia, offering a reliable and easy to use manual operation. **SlideTrack's** unique extruded aluminium **Ezylift** handle elevates this experience with superior strength and an ergonomic design, ensuring a smooth and effortless use. Additionally, the system features hidden manual capabilities, providing a clean, seamless finish that blends effortlessly into your outdoor aesthetic while maintaining optimal functionality.






Manual Crank

The gearbox operation is a traditional and reliable system for Outdoor Blinds. It allows users to manually raise and lower the blind using a crank handle that hooks into a secure eye outlet. This straightforward and dependable mechanism ensures smooth and controlled operation, making it a practical choice for those who prefer manual control without compromising on durability or ease of use. For our manually operared blinds its the most non-labour intestive option we have to offer.



Straight Drop


Our Dtraight Drop blinds are designed to be as aesthetically-stunning as they are functional - with no need for side tracks, just simply drop down and clip into stainless steel fittings. This minimal design also makes it the most cost effective option we offer.



Eport Battery

The **Eport** control is a versatile and removable battery unit designed to power tubular motors with ease. Simple to charge and operate, it offers seamless functionality, allowing you to use the same Eport or remote across multiple blinds. This cost-effective solution ensures convenience and flexibility, making it perfect for enhancing your Outdoor Blind experience.





Choose the control type for the operation of your Blind.

Solar Pro


The **Solar Pro** module is an all-in one solution featuring a solar panel, battery, and smart technology in a compact unit. It harnesses energy from the sun to power your blind, offering an eco- friendly and efficient operation. With the convenience of remote control,
Solar Pro provides a sustainable and effortless way to enhance your outdoor space.



Alpha Motorised Remote

Part of **Alpha's** practical and reliable **Explorer** range, this 1 channel and 16 channel remote offers the flexibility to manage a complex setup from the palm of your hand. Whether you are controlling a few select motors or a full home or office installation, the ability to command multiple applications separately provides true automation. Its rolling code technology delivers robust security, making it a smart and safe choice for any installation








Choose the control type for the operation of your Blind.

Wind Light Sensor - RS-001

This system offers **5 wind speeds** and **9 light intensity** settings. It functions as a sophisticated sun and wind sensor, prioritising wind detection to override sun-based automation for maximum protection. The sun sensor is optional and can be easily disabled. Designed exclusively for use with **Alpha WSER Series** motors.







Choose further upgrades for smart controlling your Blind.



Complete your smart home transformation with the Alpha **Neo Link Box** & App, allowing you to control your motorised Outdoor Blinds remotely using your device. Operate them Individually, by area, or the entire house from anywhere with an internet connection. You can also schedule all functionalities to operate automatically for added convenience. Just purchase the **Link Box** and download the free app for Android or Apple.


This product is compatible with all **Alpha** remote-control motors, and there's no limit to the number of control devices you can connect. With up to 30 control groups (rooms) available, you can add up to 8 blinds per group and set up to 40 schedules for full automation. Set up is easy and you can even enable it with **Siri**.



Technical Specifications of our Outdoor Blinds.


Boxing, Channels & Tracks

The tracking system by **Slidetrack** is a patented extrusion, engineered to restrain Outdoor Blind skins with welded splines. The unique channel shape was designed specifically to encompass and guide the spline within a secure channel. These tracks offer not only strength and durability, they also provide an attractive finish by concealing the spline within the tracks and hiding the weld from view when installed. They can also be used with a range of guide and boxing options to suit a huge variety of shading applications.




145mm Extruded Aluminium Head Box

This unique head box is a two-piece pelmet produced with extruded aluminium and finished with specialised end caps. The fully enclosed head box offers a smooth shape for an attractive finish, with industry leading strength due to design and thickness of material. Tested on blinds as wide as **6600mm**, this is the ideal option for wide spans and for powder coating of special colours.




125mm Extruded Aluminium Head Box

A more slimline version, this box is a two-piece pelmet produced with extruded aluminium and finished with specialised end caps. The fully enclosed head box offers a smooth shape for an attractive finish, with industry leading strength due to design and thickness of material. Tested on blinds as wide as **6600mm**, this is the ideal option for wide spans and for powder coating of special colours.




Brackets

Brackets are available to support the top tube in situations where boxing is not suitable or pricing is prohibitive. The top tube drive and idle ends can be dropped into the brackets, which must be fitted to allow enough room for the fabric to build up around the roll. It is important to consider when selling brackets without boxing that, when the skin is rolled down, there is an open gap left above the top tube.




Standard Channel




The most commonly used channel, at **23mm** deep, you simply fix the channel to the application surface & sit tracks in place. Each channel has **+/- 5mm** built-in adjustment. When happy with the blind's operation, fix track to channel. If surface is square and measured correctly, there should be 5mm of channel visible when looking at the front of the blind.

Deep Channel




Deep channels are 10mm deeper than standard. Installation method is exactly the same – this channel is simply an option to use for neatly overcoming protruding bricks or copper piping.

Extra Deep (Gearbox) Channel




21mm deeper than standard. Developed to accommodate the extra width of a gearbox. **Exessive Out Of Square** can be accomodated by using a STD channel half height, with a **DEEP** or **EXTRA DEEP** for the rest of the height.

Angled Channel




For fixing to angled surfaces. Measure using the fabric as your line to the wall (dotted centre line in diagram). Drill a pilot, then a **13mm** diameter hole in the flat tube for your driver to fit through. Mount to wall. Place the curved channel over the top, (covering the **13mm** holes.) Adjust to required angle and fix to flat tube with rivets or size **10-16x16mm** tek screws.

Small Column Channel (or curved channel)



For fixing to columns smaller than **200mm**. For larger diameter columns a standard channel can be used. Simply fix to column, taking care not to over-tighten, as this may bend the channel edges out of shape.

Face Fit Channel



Avoid using **25 x 40 angles** when face fixing. The back leg is **40mm** wide. When fitting blinds side-by-side two face fit channels can be used back-to-back if the post is **80mm** wide or more. Alternatively, use one face fit channel and mount a standard channel to its back.

Wind Rating

We are occasionally asked what the wind rating is on our blinds. This is a complex question that cannot be answered simply, because;

- The wind load on a blind is directly proportional to its area, so its ability to withstand winds depends on its size.

- The wind load on a conventional blind is transferred to the top tube and base bar, with a Slidetrack blind the wind load is transferred to its entire perimeter so can withstand up to twice the loading.

- The location of a blind within a given wind speed area is also very important, e.g. whether it is in an exposed or sheltered area, or on a window or a verandah.

However, we have thousands of blinds successfully installed in **N1 (W28)** and **N2 (W33)** wind rating areas throughout Australia, which is the best product testament possible. (These categories refer to potential gust wind speeds up to **28** and **33 m/sec** respectively.)

We do recommend that blinds are retracted during storms, particularly larger blinds over **7.5 sq m**.

Motorised blinds, particularly when wider than about **2m** may require manual assistance when being lowered in windy conditions.






We have exceptional warranty coverage for our Blinds.

- 10 Years Manufacturer's Warranty on Fabric for Outdoor Blinds ✓
- 12 Years Manufacturer's Warranty on Powder Coating ✓
- 12 months Warranty on Workmanship and all other Fittings and Fixtures ✓
- 5 Years Diamond Blinds & Shutters Warranty on Fabric Defects & Replacement's ✓
- 3 years Warranty for Movement Components ✓



*This warranty does not cover damage caused by : Storms, high winds, hail, or other extreme weather conditions - Accidental damage or misuse - Failure to follow care and maintenance instructions - Warranty claims must be accompanied by proof of purchase and may require a site inspection.
This warranty is limited to repair or replacement of the defective part(s) at our discretion.






We only use the very best in Aussie made manufacters for our Roller Shutters.


We offer world-class Roller Shutters that are 100% Australian-made, manufactured in South Australia by **Ozroll**. They're the largest roller shutter manufacturer in the Southern Hemisphere and boast the quickest production turnaround within just two weeks of ordering.

Our shutters are designed to provide superior energy efficiency, noise reduction, and security, giving your home an added layer of protection against the elements while increasing its value.
They're engineered for superior thermal insulation, helping regulate indoor temperatures - keeping your home cooler in summer and warmer in winter. This insulation reduces the need for heating and cooling, leading to lower energy consumption and reduced greenhouse gas emissions making them an eco friendly option.

Tailor your Roller Shutters to suit your style with a range of colours, stripe patterns, and slat fill options for added security and noise reduction. Choose from manual, motorised, or battery-operated systems for effortless operation. Rigorously tested by CSIRO to meet Australian standards, our shutters are a proven investment in quality and performance. With sustainable features and eco-friendly coatings, they're a choice you can feel good about.


138
PV





Choose the type of operation you want for your Shutter.

Manual Control - manual Roller Shutters are operated using a winder or strap system. This cost-effective option is simple to use and doesn't rely on electricity, making it ideal for homes in areas with frequent power outages.

Motorised Control - motorised roller Shutters are powered by an electric motor, offering smooth and effortless operation at the touch of a button. These systems are compatible with wall switches or remote controls, making them a popular choice for modern households.


Battery-Powered Control - for energy efficiency and convenience, battery-powered roller shutters are a great option. These systems run independently of your home's electricity supply and are perfect for areas where wiring might be difficult.

Choose the control type for the operation of your blind.

Eport Battery

The Eport control is a versatile and removable battery unit designed to power tubular motors with ease. Simple to charge and operate, it offers seamless functionality, allowing you to use the same Eport or remote across multiple shutters. This cost-effective solution ensures convenience and flexibility, making it perfect for enhancing your outdoor blind experience.





Manual Winder

The winder system is operated with a detachable handle or crank, which connects to the gearbox mechanism. By turning the handle, the shutter is raised or lowered smoothly through a series of gears that amplify the user's effort, making it easy to operate even larger Shutters.



Motorised Remote

The motors are wired directly into your mains power, providing a reliable and continuous power source and eliminating the need for battery charging. This means you can enjoy consistent performance without worrying about recharging the motor itself.




Solar Pro

The **Solar Pro** module is an all-in one solution featuring a solar panel, battery, and smart technology in a compact unit. It harnesses energy from the sun to power your blind, offering an eco- friendly and efficient operation. With the convenience of remote control, **Solar Pro** provides a sustainable and effortless way to enhance your outdoor space.







Choose further upgrades for smart controlling your Shutter.



Complete your smart home transformation with the Alpha **Neo Link Box** & App, allowing you to control your motorised Roller Shutter remotely using your device. Operate them Individually, by area, or the entire house from anywhere with an internet connection. You can also schedule all functionalities to operate automatically for added convenience. Just purchase the **Link Box** and download the free app for **Android** or **Apple**.




This product is compatible with all **Alpha** remote-control motors, and there's no limit to the number of control devices you can connect. With up to 30 control groups (rooms) available, you can add up to 8 blinds per group and set up to 40 schedules for full automation. Set up is easy and you can even enable it with **Siri**.



Choose the colour of the hood, tracks & slats for your Shutter.

Box Colour Options - this is the colour of the pelmet or hood:



Roller Shutter Colour - this is the colour of the slats:



Roller Shield Curved Series

The Rollashield Residential Curved Series slat is a double walled cavity with PU foam injected during the roll forming process. This process provides economical strength and insulation qualities while maintaining exceptional working performance of the slat. The curved shape of the slat provides optimal lateral strength and minimal roll sizes, offering a much smaller head box size. The Rollashield curved series is available in three different styles, the 400 with profile lines on the convex side and a smooth finish on the concave, the 401 with a smooth finish on both sides and the 402 with profile lines on both sides.

Technical Specifications

Weight (per m2)	**4kg**
Maximum Curtain Width	**3.6m**
Maximum Area (m2)	**8.0**
Gauge of Aluminium	**0.32mm**
Profile Slat Height	**40mm**
Profile Slat Thickness	**9mm**
Standard Guide Dimensions	**53mm**
Standard Bottom Bar Dimensions	**50mm**
Standard Axle	**50mm circular**

Square Boxing (SQ45)


sizes available	max overall height
150mm	**1300mm**
165mm	**1700mm**
180mm	**2135mm**
205mm	**3000mm**
230mm	**3800mm**

HDF SLATS

The development and introduction of the High Density Foam (HDF) offers remarkable advantages where there is high wind or high risk. The HDF is injected into the slat profile under controlled conditions during the manufacturing roll-forming process







Sentry Fireshield

The Sentry Fireshield has superior strength offering increased security and performance.
The overall profile appearance is clean and stylish with only a slight "V" groove line on the convex side. Available in several long lasting and fade resistant Interpon coatings or a natural anodized finish, the Sentry Fireshield Profile can also be powder coated in a colour of your choice. The Sentry Fireshield shutter has been extensively tested by the **CSIRO** under severe bushfire simulated conditions and proved to be able to withstand a maximum radiant heat exposure of **40kw/m2** after **60 minutes**.
As no ignition or flaming was observed throughout the testing the Sentry Shutter has received a **Bushfire Attack Level (BAL)** of **40.**

Technical Specifications

Weight (per m2)	**8kg**
Maximum Curtain Width (with standard guide)	**4m**
Maximum Curtain Width (with standard guide)	**4.6m**
Maximum Curtain Width (with standard guide)	**5m**
Maximum Area (m2)	**12**
Gauge of Aluminium	**1mm**
Profile Slat Height	**40mm**
Profile Slat Thickness	**9mm**
Standard Guide Dimensions	**53mm**
Standard Bottom Bar Dimensions	**50mm**
Standard Axle	**50mm circular**

Square Boxing (SQ45)

sizes available	max overall height
150mm	**1100mm**
165mm	**1600mm**
180mm	**2000mm**
205mm	**2800mm**
230mm	**3400mm**






Restrained Guide / Unrestrained with Extended Guide









We have exceptional warranty coverage for our Shutters.

- 12 Years Manufacturer's Warranty Shutter panels and frame ✓
- 2 Years Manufacturer's Warranty on T-Series tubular motors ✓
- 3 years Warranty on coating and movement components ✓
- 12 months Warranty on Workmanship and all other fixtures ✓



*This warranty does not cover damage caused by : Storms, high winds, hail, or other extreme weather conditions - Accidental damage or misuse - Failure to follow care and maintenance instructions - Warranty claims must be accompanied by proof of purchase and may require a site inspection.
This warranty is limited to repair or replacement of the defective part(s) at our discretion.





Our premium Aluminium Louvres are proudly designed and manufactured here in South East QLD and are made using 100% Australian aluminium.

Durability You Can Trust

Engineered for the toughest conditions, our **Elipso** Aluminium Louvres are made by industry leading manufacturers **OzRoll** and are built to withstand rain, hail, wind, and debris. Designed with high-strength aluminium blades capable of supporting up to 100kg, they provide long-lasting protection against all the extremes in weather we have here in QLD.

Cyclone-Rated Safety

Specifically engineered for cyclone-prone areas, **Elipso** Aluminium Louvres meet stringent Australian standards for wind resistance. Their robust construction ensures enhanced safety, reducing the risk of damage during severe storms and high winds.

Superior Comfort:

Adjustable blade options provide optimal sun protection and ventilation, keeping indoor and outdoor spaces cool on even the hottest of summer days.



Sustainable Manufacturing

Crafted from recyclable materials and built for energy efficiency, these Aluminium Louvres contribute to eco-friendly building practices, reducing environmental impact.

Customisable Options

Available in **7 standard Colorbond** inspired colours with an additional **19 premium**, **Elipso** Aluminium Louvres can be tailored to match any architectural style and aesthetic.

Customisable Options

With options for fixed or adjustable blades, our Louvres offer effortless control over light and airflow, adapting seamlessly to your needs.

Maximum Coverage

Designed to accommodate various installations, **Elipso** Aluminium Louvres can be fitted in horizontal or vertical orientations for a sleek, functional finish.

Pest and Privacy Barrier

Acting as a natural shield, our Louvres enhance privacy while keeping pests and insects out, allowing you to enjoy and extend your living spaces.



Choose what type of Aluminium Louvre you want.

DLi Domestic Louvre

The **DLi Louvre** shutter utilises a slim **35mm** thick panel which offers a more contemporary appearance, making it ideal for use both internally and externally as well as for highrise and domestic applications.

This product can be manufactured to comply with Australian balustrade regulations, when mounted on patios or balconies above 4 metres from ground level. To further add to the DLi's internal capabilities, Shutter Concepts designed and produced **L** and **Z Framing** as well as a Slimline Bottom Track to avoid tripping hazards, so this product is not only practical but it's also very aesthetically pleasing.

With similar benefits to the traditional **CL frame**, the **DLi** offers the choice of horizontal blades above the transom and vertical blades below, all vertical blades, glass panel in the bottom and horizontal in the top, aluminium panel with vertical in the top, basically any combination you can think of.

To top it off, because we save on materials by manufacturing a slimmer design we pass the savings on, which means an extremely competitive price and best value for money in the nation.

Features & Benefits

- **Ideal for both interior and exterior domestic applications** ✓
- **Slim design & with Slimline bottom track** ✓
- **Optional blade sizes - available in either 90mm or 150mm** ✓
- **Available in multiple colours** ✓
- **Materials will never crack, warp or shrink** ✓
- **Minimal maintenance and easy to clean - simply with soap & water** ✓
- **Suitable for wet areas** ✓
- **Termite proof** ✓
- **added security** ✓

Choose what type of Aluminium Louvre you want.

CL Cyclone Louvre

The **CL Louvre** is the first choice when strength and durability is a priority and utilises a robust **53mm** thick paneled frame. Created out of necessity to withstand Australia's harsh weather conditions, this product has been installed throughout the Northern Territory and Queensland and has survived **Category 3-4 Cyclones** in areas where consumers with opposition products were not so lucky.


The **CL** is **Cyclone Rated** and best suited for multi storey applications (**6 storeys and above**) as well as waterfront settings that are exposed to severe weather conditions such as high winds and storms.

This unique panel design is not only the strongest on the market but also the most versatile, offering the choice of **horizontal blades** above the transom and **vertical blades** below, all vertical blades, **glass panel** in the bottom and horizontal in the top, aluminium panel with vertical in the top, basically any combination you can think of.

Features & Benefits

- **Cylone Rated - ideal for both comercial and residential multi story buildings** ✓
- **Optional blade sizes - available in either 90mm or 150mm** ✓
- **Available in multiple colours** ✓
- **Materials will never crack, warp or shrink** ✓
- **Minimal maintenance and easy to clean - simply with soap & water** ✓
- **Suitable for wet areas** ✓
- **Termite proof** ✓
- **added security** ✓






Choose what operation type you want for your Louvre.

Fixed

A **Fixed Panel Louvre** offers the simplest form of installation and operation. **C channels** can be fixed permanently to the top and bottom of the application and the Fixed Panel Louvre then pivots inside the frame work. Flashing will be provided to cover gaps on the left and right of the front and back of the application. **H section** is also available for joining panels to create strength and stability over multiple panel installation, as well as standoff brackets which offer installation off the window to provide access for ventilation and cleaning.

Technical Specifications

Maximum Panel Width	**1100mm**
Maximum Panel Height	**3000mm**
Style Options	**DLi, CL**
Blade Options	**90, 150**
Blade Orientation Options	**Horizontal, Vertical**
Panel Filler Options	**Glass, Aluminium, Window Covering**
Ideal Applications	**Privacy, Screening, Balcony / Patio Enclosure**




Choose what operation type you want for your Louvre.

Bi Fold

Bi-fold Louvre shutters provide a versatile option for balcony or patio areas by offering a choice of total enclosure and protection from the elements when in a closed position, yet still maintaining the availability of clearing the opening completely by folding the panels and pushing them to one side. Utilising practical **nylon pivots**, the panels can concertina either in or out by running along top and bottom tracks which are fixed permanently to the top and bottom of the application.

Technical Specifications

Maximum Panel Width	**900mm**
Maximum Panel Height	**3000mm**
Style Options	**DLi, CL**
Blade Options	**90, 150**
Blade Orientation Options	**Horizontal, Vertical**
Panel Filler Options	**Glass, Aluminium**
Ideal Applications	**Balcony / Patio Enclosure, Room Dividers**




Choose what operation type you want for your Louvre.

Hinged

Hinged Louvre shutters are a practical and aesthetically pleasing choice for both interior and exterior windows and doorways. Available to swing either inwards or outwards, **Shutter Concepts** Hinged Louvre's can be supplied with **L** or **Z framing** to provide a neat finish.

Technical Specifications

Maximum Panel Width	**900mm**
Maximum Panel Height	**2400mm**
Style Options	**DLi**
Blade Options	**90**
Blade Orientation Options	**Horizontal, Vertical**
Panel Filler Options	**Glass, Aluminium**
Ideal Applications	**Interior Openings, Doorways**




Choose what operation type you want for your Louvre.

Sliding Stacker

Stacking Louvre shutters add another dimension to the Sliding installation type. Operation of the panels is the same, however an H section is installed at the end of the tracks which the panels can stack into, providing the option of completely uncovering the opening and storing the panels in a stacked position storing the panels in a stacked position 90 degrees to the opening. Utilising practical nylon pivots, the panels can slide left or right by running along top and bottom tracks which are fixed permanently to the top and bottom of the application.

Technical Specifications

Maximum Panel Width	**1100mm**
Maximum Panel Height	**3000mm**
Style Options	**DLi, CL**
Blade Options	**90, 150**
Blade Orientation Options	**Horizontal, Vertical**
Panel Filler Options	**Glass, Aluminium**
Ideal Applications	**Balcony / Patio Enclosure, Room Dividers**




Choose the colour of your Louvres.

Standard Colour Range

The **Elipso** Domestic Louvre range is available in **seven standard colours** within a **four to eight week turnaround** from order to dispatch. **Elipso** maintains stock holdings of the markets most popular colours so that they can supply customers with the quickest turnaround times. The colour that has the quickest turnaround is **Pearl White Gloss** which is by far our most popular choice for Louvre colour.

Premium Colour Range

The entire **Elipso** range is also currently available in **19 Premium Powder Coat** options, which does incur a powder coating surcharge and takes approximately **six to eight weeks to turnaround** from order date.



Premium Colour Range



Pearl White Gloss (quickest turn around for production)

Woodland Grey Matt

Classic Cream Matt

Monument Matt

Surfmist Satin


Black Low Matt

Anotec Silver Grey Matt

Aluminum Louvres

colours to match any style & aesthetic





Premium Colour Range

Sand

Anotec Silver Grey Matt

Shale Grey™

Pearl White

Windspray®

Paperbark®

Classic Cream™

Evening Haze®

Dune®

Gully®

Jasper®

Pale Eucalypt®

Cottage Green®

Hamsley Brown

Wallaby®

Basalt®


Ironstone®

Deep Ocean®

Manor Red®

Technical Specifications of our Louvres.


Louvre Diagram & Terms




Panel Components - **Blades**

Our blades are shaped differently compared to what else is offered on the market. The unique fish shaped lip creates a smootg finnish between the blades meaning a more gentle and more quiet closing action. They are available in 2 options: the standard **90mm** option, or the optional **150mm**. Both are assembled with clips designed to cope with **100kg** weight load.

* exact size of blades - illustrations are to scale



90mm




150mm



Panel Components - **Standard Flush Bolt**

The **Standard Flush Bolt** is a locking device that secures the **Aluminum Louvre** panels by inserting a 10mm **metal rod** into the frame/track at the top and/or bottom. When disengaged, the bolt mechanism sits **flush** within the panel's vertical frame (**stile**), ensuring a **clean**, **uninterrupted aesthetic**. It's operated manually via a small lever or slide on the stile's face, providing essential stability and security for the secondary louver panel.



We have exceptional warranty coverage for our Louvres.

- 12 Years On All Parts ✓
- 12 months Warranty on Workmanship and all other fixtures ✓

*This warranty does not cover damage caused by : Storms, high winds, hail, or other extreme weather conditions - Accidental damage or misuse - Failure to follow care and maintenance instructions - Warranty claims must be accompanied by proof of purchase and may require a site inspection. This warranty is limited to repair or replacement of the defective part(s) at our discretion.






Our bespoke Plantation Shutters are the number one choice in SE QLD for stylish internal window shutters.

Plantation Shutters are timeless internal window coverings that adds elegance, practicality, and long-term value to any home, plus they're easy to use and easy to clean. The **Inspire Range** is manufactured locally by industry leaders **Ozroll** and offers premium quality, designed to enhance your space while providing exceptional durability and functionality. This option is great for those wanting the quickest turn around in manufactering and installation, with wait times between only **2** - **4 weeks** from order date. The **Inspire Range** is also made completely from non-toxic, recycled materials making it a great option for the environmentally conscious.

The Essence Range are **Ozroll's** imported product, which is great option for those in no rush to have your Shutters installed and want to cut on cost. Turn around time for this option is usually between **6** - **10 weeks** from order date.

All our Plantation Shutters are completely custom-made to order, ensuring a flawless fit for every window in your home. Unlike off-the-shelf options, our Shutters are meticulously crafted to your exact specifications, whether you have standard window sizes, bay windows, or uniquely shaped openings. We offer a selection of colours, finishes and louvre sizes, allowing you to design shutters that perfectly complement your home's aesthetic and meet your practical needs.





Choose what operation type you want for your Louvre.

Hinged

Hinged plantation shutters are the classic and most common style, operating much like a door. The panel or series of panels is attached to the window frame with hinges on one side, allowing the entire unit to swing open away from the window, typically folding flat against the wall. This operation offers full, unobstructed access to the window and maximum light entry, while the adjustable louvres within the frame provide excellent control over privacy and light when the panels are closed.

Fixed with U Channel Top and Bottom

This style of plantation shutter is permanently installed within the window or door opening, meaning the entire shutter panel cannot be moved or opened. The 'U channel' frame at the top and bottom holds the fixed panel securely in place. The purpose of this design is primarily to provide constant privacy and light control through the use of adjustable louvres, making it ideal for non-opening windows, unique shapes, or areas where window access is not required, such as a transom or a window behind a sink.



Bi-fold

Bi-fold shutters are designed for wider openings and allow for a large, clear view. Panels are connected together with hinges and operate on a track system, often at the top. When opened, the panels fold against each other in an accordion or concertina fashion, stacking neatly to one or both sides of the opening. This folding mechanism is excellent for maximising the opening space, making them a popular choice for patio doors and large windows.

Sliding


Sliding plantation shutters, also known as bypass shutters, are specifically designed for sliding doors or very large windows where space for swinging or folding panels is limited. These panels hang from a track system and slide horizontally, bypassing one another to open or close. Similar to a sliding patio door, the panels overlap when open, meaning a portion of the window will always be covered, but they offer a simple, smooth operation for controlling access and light.






Key features & benifits of our Plantation Shutters.

- **Guaranteed not to crack, warp, shrink or discolour** - manufactured from unique Polymer Foam, this product is suitable for all areas inside the home.
- **Easy to care for** - a simple, regular wash with warm soapy water and your Shutters will remain dust free and good as new. Unlike curtains, they don't absorb odours, dust or microbes, making them a great option for allergy sufferers.
- **Cleartilt Internal Mechanism** - this system allows effortless operation of the louvre's with no possibility of loose and annoying connectors breaking and disabling your Shutters.
- **Water resistent** - Perfectly suited for bathrooms, kitchens or any "wet" areas, they won't swell, warp or crack.
- **Excellent insulators** - helping to regulate indoor temperatures by reducing heat gain in summer and retaining warmth in winter. This can improve energy efficiency and lower heating and cooling costs.
- **Control how much light you let in** - the adjustable louvres allow you to tilt the slats to let in natural light while maintaining privacy. You can fully open the shutters for an unobstructed view or close them for complete privacy and light control.
- **Dents can be warmed out** - in the event of an accident, minor dents can usually be "warmed out" using an applied warmth technique.



Plantarion Shutter Diagram & Terms





Choose the Colour & Frame Type of your Shutters.

Inspire Series (locally made)

Currently available in : **Bright White** & **Off White**

Avaialable Frame Types include :

- **Large Bullnose Z frame** - **Standard Z frame** - **L frame** - **Large Lframe**
- **Blade Size** = **90mm**
- Turn around : **2** - **4 weeks**

Essence Series (Overseas)

Currently available in : **Super White**, **Snow White**, **Bright White**, **Off White** & **Classic White**

Avaialable Frame Types include :

- **Bullnose Z frame in 3 sizes** : **Small Medium** & **Large** - **Standard Z frame**
- **L Frame in 3 sizes** : **Small Medium** & **Large** - **Blade Sizes** = **63mm**, **90mm** & **115mm**
- Turn around : **6** - **10 weeks**

Plantation Shutters

measured to fit any window opening



We have exceptional warranty coverage for our Plantation Shutters.

- 12 Years On Shutter Panels & Frame ✓
- 3 years on Hinges & Movement Components ✓
- 12 months on Workmanship and all other Fixtures ✓



See what some of our customers have had to say

Diamond Blinds and Shutters

Unit 2/4 Lathe St, Virginia QLD 4014, Australia

5.0 ★★★★★ 54 reviews

Micko
Local Guide · 16 reviews · 3 photos

★★★★★ a week ago NEW

I had 2 other companies tell me they couldn't put a blind on the outside of our deck with a flyover roof and a 3 rd company say they can but were double the price of Diamond.
Danny came and said yes we can definitely put the blind on the outside and Sean installed it very neatly I would highly recommend these guys. Honest price and great communication 10/10

Hover to react

Kevin Mehta
Local Guide · 20 reviews · 6 photos

★★★★★ a week ago NEW

The Diamond Blinds team did a fantastic job installing our alfresco outdoor blinds. 😍
I can't recommend them highly enough , both the sales and installation teams were efficient, professional, and completed the job neatly and on time. 🤗🥰
We're absolutely in love with our alfresco area now. thank you again, Diamond Blinds team!

Hover to react

Aaron Spencer
7 reviews

★★★★★ a month ago

The whole process was thorough, quick and of high quality. Danny was exceptional with providing the options best suited to our deck. Sean was great in offering a great price and organising the install really quickly and the team that installed on the day did a wonderful job to meet our needs and expectations.

Hover to react



Herbert Bahler
Local Guide · 61 reviews · 78 photos

★★★★★ 3 months ago

This business is tops for your outdoor blinds. We had them installed yesterday and everything went so smooth. We also got a couple of window shutters which made the window look so much better. Then we also had a vertical blind installed. I'm very happy with the work performed and would recommend this business to everyone who needs outdoor blinds, shutters or vertical blinds.

❤️ 1



Shiraz Tilley
5 reviews

★★★★★ 4 months ago

Sean, Dan and their team of wonderful men were amazing! The blinds were put up so quickly and neatly and the level of professionalism was outstanding. Communication was exemplary and I could set my watch by their timing/arriving at the agreed hour. This is rare these days with any trade-based work. Thank you Diamond Blinds for making my deck great again. MDGA!

Hover to react

mbwlm888
Local Guide · 11 reviews · 11 photos

★★★★★ 11 months ago

Diamond Blinds has installed Plantation Shutters to my windows in our home. We split the home up in 3 parts and they were very accommodating with coming out 3 times to install. Wow! How much our home has changed the look. So modern and so lush! I am obsessed! We had Sean install and installing the 3rd lot in the new year. I want to acknowledge that Sean was professional, helpful, nothing was a problem, friendly and cleaned up when he was done. Very neat work. Very impressed. Thank you Diamond Blinds. I will not hesitate to recommend you to anyone. Fantastic! A+
Fiona and Danny - Bellmere QLD

DIAMOND BLINDS



Shades ◇ Shutters ◇ Security